

## MADHYANCHAL PROFESSIONAL UNIVERSITY

Established under Madhya Pradesh Niji Vishwa Vidhyalaya (Sthapna awam Sanchain) Adhiniyam, 2007 (Run by Vashpati Smriti Shiksha, Bhopal, Reg. No. 9792/2001 Date: 28/08/2001)

## END SEMESTER EXAMINATION (OFFLINE) JUNE-2024 TIME TABLE EIGHTH SEMESTER (REGULAR/EX) COURSE: BACHELOR OF TECHNOLOGY (ALL BRANCHES)

TIME: 10.00 AM TO 01.00 PM (SHIFT-I)

Date	03 June 2024	05 June 2024	07 June 2024
Day	Monday	Wednesday	Friday
ME	ME 801	ME 802A	ME 803B
	Refrigeration & Air Conditioning	Automobile Engineering	Energy Conservation, Management& Audit
CE	CE 801	CE 802B	CE 803D
	Design of Steel Structures	Foundation Engineering	Integrated Water  Management
CS	CS 801	CS 802B	CS 803
	Internet of Things	Cloud Computing	Image Processing and Computer Vision
EE / EX	EE/EX 801	EE/EX 802D	<b>EE/EX 803B</b>
	Power Quality Improvement & Mitigation Technique	Computer Aided Electrical  Machine	Power Electronics Converter
	•		for Renewable Energy
EC	EC 801	EC 802A	EC 803A
	Optical Fiber Communication	AI & Signal Processing	Wireless Network
MI	MI 801	MI 802A	MI 803A
	Mining Machinery III	Mining Planning	Rock Slope Engineering

## NOTE:

- 1 Candidate should note the dates and sequence of subject papers very carefully.
- 2 During examination schedule if Collector declares any local holiday, the examination will be held as per revised schedule.
- 3 The right to change in Time Table and sequence of paper is reserved with the University.
- 4 Exam form filling notification will be notified separately on the University website.
- 5 Practical Exam to be held between 27/05/24 to 01/06/24.

Dy. Registrar (Exams) MPU, Bhopal (M.P.)

CC:

1 PS to Chancellor

- 2 PS to Pro Chancellor
- 3 PS to Executive Director
- 4 PS to Vice Chancellor
- 5 PS to Pro Vice Chancellor
- 6 PA to Registrar
- 7 All Dean's
- 8 All HOD's.
- 9 Admin. Office
- 10 ERP (Website upload)

11 Notice Board

Madhyanchal Professional University, Ratibad, Bhopal (M.P.)

Tel.: - +91-2896354 e m a i 1 : info@mpu.aci.in Website: www.mpu.ac.in